	•	
Notice of Allowability	Application No.	Applicant(s)
	10/733,791	BERKRAM ET AL.
	Examiner	Art Unit
	Tuan T. Lam	2816
The MAILING DATE of this communication apperall daims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIFU	(OR REMAINS) CLOSED in this a or other appropriate communication GHTS. This application is subject and MPEP 1308.	pplication. If not included on will be mailed in due course. THIS
2. 🖾 The allowed claim(s) is/are <u>1-20</u> .		
3. ☑ The drawings filed on <u>20 December 2003</u> are accepted by	the Examiner.	
4. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	been received. been received in Application No. cuments have been received in this post this communication to file a replicant of this application.	s national stage application from the y complying with the requirements R'S AMENDMENT or NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspersor 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the deposent attached Examiner's comment regarding REQUIREMENT F	on's Patent Drawing Review (PTC Amendment / Comment or in the 84(c)) should be written on the draw he header according to 37 CFR 1.121 sit of BIOLOGICAL MATERIAL	Office action of rings in the front (not the back) of I(d). must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ဩ Interview Summar Paper No./Mail Da 7. ☒ Examiner's Amend 8. ☒ Examiner's Statem 9. ☐ Other	ate <u>i/4/05</u> .

Art Unit: 2816

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

Authorization for this examiner's amendment was given in a telephone interview with attorney William D. Davis (Reg. No. 38,428) on 1/4/2005.

The following changes have been made to the subject application:

Claim 6:

payment of the issue fee.

Line 1, after "claim 1", --further comprising a clock generator for providing the generated clock,-- has been inserted, "divider" has been changed to --divider circuitry--.

Claim 7:

Line 1, after "divider", --circuitry-- has been inserted.

Claim 14:

Line 1, after "claim 8", --further comprising a clock generator for providing the generated clock,-- has been inserted, "divider" has been changed to --divider circuitry--.

Claim 15:

Line 1, after "divider", --circuitry-- has been inserted.

Claim 16:

Line 13, after "multiplexer", --control-- has been inserted.

The changes have been made in order to comply with the 35USC 112, second paragraph and to place the application in a condition for allowance.

Application/Control Number: 10/733,791

Art Unit: 2816

1. The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or fairly suggest a multiplexer selecting one of a generated clock and a gated generated clock as a double clock in accordance with a halt multiplexer control, wherein the double clock has a frequency twice that of a reference clock, a halt circuit controlling the halt multiplexer control to selected the gated generated clock when the alignment signal matches a pre-determined clock level, wherein the halt multiplexer control is clocked by the generated clock as called for in claims 1, 8 and 16. Therefore, claims 1-20 are presently allowed.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan T. Lam whose telephone number is 571-272-1744. The examiner can normally be reached on Monday to Friday (7:30 am to 6:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TIMOTHY P CALLAHAN can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Art Unit: 2816

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tuan T. Lam Primary Examiner

Art Unit 2816

1/8/2005